MAZDUTIDE 1Wmg – WEIGHT LOSS

PRECISION PEPTIDE CO. – Code: PEP5 (5% OFF)

https://precisionpeptideco.com/ref/6/

- · FREE SHIPPING ON ALL ORDERS OVER \$100 (US only)
- · FREE 2ml Bacteriostatic Water with every purchase!

WEIGHT LOSS PEPTIDE:

Mazdutide 12mg: https://precisionpeptideco.com/product/mazdutide-12mg/
BAC Water: https://precisionpeptideco.com/product/bacteriostatic-water/

Code: **PEP5**

Through my research of Mazdutide, the studies show **two types of dosages.**

1. The max dose is 6mg, so dosage is:

Week 1-4 dosage is 2mg or 2000mcg

Week 4-8 dosage is 4mg or 4000mcg

Week 8+ dosage is 6mg or 6000mcg until desired weight is achieved.

2. The max dose is 9mg, so dosage is:

Week 1-4 dosage is 3mg or 3000mcg

Week 4-8 dosage is 6mg or 6000mcg

Week 8+ dosage is 9mg or 900mcg until desired weight is achieved.

I am assuming the max dose of 6mg is for those who want to lose approximately 30lbs or less. The max dose of 9mg is for those wanting to lose more than 30lbs.

Precision Peptide's <u>Mazdutide vials are 12mg</u>. Using a Peptide Calculator: https://www.omnicalculator.com/health/peptide-dosage

- 1. Using a 1ml syringe
- 2. Insert 12mg Vial
- 3. 2ml BAC water

Example:


1ml syringe


12mg Vial


2ml BAC water + 2mg (2000mcg)

= 33.3 units of Mazdutide









FINDINGS FROM RESEARCH! Based on the trials, here's how you might structure an effective **Mazdutide dosage plan**, grounded in the most effective findings from the studies:

Dosage Titration Plan for Mazdutide:

- 1. **Weeks 1-4**: Start with **3mg weekly**. This allows your body to adjust to the medication with minimal side effects.
- 2. **Weeks 5-8**: Increase to **4.5mg weekly**. At this dosage, studies have shown an improvement in weight loss outcomes, with greater tolerance to the drug.
- 3. **Weeks 9-12**: Titrate up to **6mg weekly**. Studies report that this dose leads to the most significant weight reduction and improvements in glycemic control for patients with type 2 diabetes.
- 4. **Weeks 13-16**: Consider moving to **9mg weekly**, depending on your treatment goals and tolerance. This dosage has demonstrated the highest efficacy in achieving weight loss, with up to a 15% greater reduction in body weight compared to

Maintenance Plan (Weeks 17 and beyond):

- **9mg weekly** may be maintained for up to 48 weeks based on the phase 3 DREAMS-1 trial, which showed continued weight loss and metabolic benefits at this dose.
- Alternatively, stay at **6mg weekly** if side effects are a concern, as it still provides strong results with potentially fewer adverse effects.

Alternative Dosages:

https://www.ncbi.nlm.nih.gov/pmc/articles/PMC10733643/https://www.nature.com/articles/s41467-023-44067-4

Adjustments:

- **Side Effects**: If any dose causes significant side effects (e.g., nausea, vomiting, diarrhea), you can maintain the current dose for an extended period or titrate down temporarily.
- **Individualized Approach**: Consult a healthcare provider to adjust the plan based on personal factors like tolerance and weight loss goals.

This titration plan follows a gradual approach to maximize the effectiveness of Mazdutide while minimizing potential side effects, aligning with the best practices observed in the clinical trials.

Mazdutide for Weight Loss | How Does It Work

Discover the potential of mazdutide for weight loss with this detailed guide, covering its benefits, dosage, side effects, and ongoing research on obesity and overweight management.

What is mazdutide?

Official answer: Mazdutide is a long-acting, once-weekly, injectable medicine that is under development for obesity and type 2 diabetes...